

Link do produktu: <https://www.dobrerowery.com/marin-rift-zone-e2-p-20783.html>



MARIN RIFT ZONE E2

Cena	28 499,00 zł
Dostępność	Dostępny
Producent	Marin

Opis produktu

SPECYFIKACJA

- RAMA**
All New Series 4 Alloy Frame, 140mm MultiTrac Suspension, Integrated Battery/Charging Port, 148mm Rear Thru-Axle, Built-in Rear Speed Sensor
- WIDELEC**
Fox 36 Performance Elite, 140mm travel, 29", 110x15mm Boost Kabolt Thru-Axle, 44mm Offset, Integrated Fox Fender
- AMORTYZATOR**
Fox Float X, Performance Elite Series, EVOL Air Spring, Climb Switch, Rebound Adjustment, Custom Tune, 210x55mm, M8x30mm Top, M8x25mm Bottom
- OBRECZ**
Marin Aluminum Double Wall, 29" Diameter, 29mm Inner Rim Width, Sleeved Joint, Disc Specific, Tubeless Compatible
- PIASTA TYL**
Shimano HB-TC500, 148x12mm, Centerlock, Standard Freehub Body
- PIASTA PRZOD** Shimano FH-TC500, 110x15mm, Centerlock , 32H
- SZPRYCHY**
14g Black Stainless Steel
- OPONY**
Vee Tire Co Attack HPL, 29x2.5", Top 40 Tubeless Compatible, Override E-Specific Casing
- PRZERZUTKA TYL**
Shimano, Deore XT RD-M8130, 11-Speed, SGS, LinkGlide
- DZWIGNIA ZMIANY BIEGOW**
Shimano Deore XT SL-M8130-R, LinkGlide, I-Spec EV
- KORBA**
Shimano XT M8150, 160mm Length, 38t Chainring
- NAPED**
Shimano Steps EP801 Drive Unit, 250W, 85Nm, 25 km/h Top Assisted Speed

- **LANCUCH**

KMC E-11S

- **KASETA**

Shimano XT LinkGlide LG-600, 11-Speed, 10-50T

- **HAMULEC PRZOD**

TRP DH-R EVO 4-Piston Hydraulic, 203mm Rotor, 2.3mm Thick

- **HAMULEC TYL**

TRP DH-R EVO 4-Piston Hydraulic, 203mm Rotor, 2.3mm Thick, with Magnet

- **DZWIGNIA HAMULCA**

TRP DH-R EVO

- **KIEROWNICA**

Marin Trail, 35mm Clamp, 7000 Alloy Bar, 800mm Length, 20mm Rise, 5 Degree Up, 8 Degree Back

- **MOSTEK**

Marin CNC, 35mm Length, 35mm Bar Bore

- **CHWYTY**

Marin Grizzly Lock On

- **STERY**

FSA No 57, Sealed Cartridge Bearings, 1 1/8" x 1 1/2"

- **RURA PODSIODŁOWA**

X-Fusion Manic, 1x Composite Remote, Size S 125mm Travel, Size M and L 150mm Travel, Size XL 170mm Travel, 30.9mm

- **SIODŁO**

Marin eMTB Saddle

- **PEDALY**

Marin MTB Plastic

- **BATERIA**

Shimano BT-EN806, Internal 630Wh

- **WYSWIETLACZ Shimano SC-E600**

- **MANETKA**

Shimano SW-EN600L Left Hand Switch for Assist Mode Change

- **DODATKI**

Shimano Battery Charger EC-E6002, Shimano CS-EN800 Chainguide, CushCore Tire Inserts and Valve Stems, Marin Tire Sealant 300ml, Squeeze Top with Valve Core Removal Tool Cap

- **LADOWANIE TIME**

30-80km (Based on Rider Weight, Terrain, Climate and Level of Assist Used), 4 Hours

Produkt posiada dodatkowe opcje:

Kolor: Wybierz kolor , Kawowy

Rozmiar: Wybierz rozmiar , S , M , L , XL