Dane aktualne na dzień: 18-11-2026 05:12

Link do produktu: https://www.dobrerowery.com/marin-rift-zone-e2-p-20783.html



MARIN RIFT ZONE E2

Cena	**28 499,00 zł**
Dostępność	**Dostępny**
Producent	**Marin**

Opis produktu

SPECYFIKACJA

- **RAMA**

  All New Series 4 Alloy Frame, 140mm MultiTrac Suspension, Integrated Battery/Charging Port, 148mm Rear Thru-Axle, Built-in Rear Speed Sensor

- **WIDELEC**

  Fox 36 Performance Elite, 140mm travel, 29", 110x15mm Boost Kabolt Thru-Axle, 44mm Offset, Integrated Fox Fender

- **AMORTYZATOR**

  Fox Float X, Performance Elite Series, EVOL Air Spring, Climb Switch, Rebound Adjustment, Custom Tune, 210x55mm, M8x30mm Top, M8x25mm Bottom

- **OBRECZ**

  Marin Aluminum Double Wall, 29" Diameter, 29mm Inner Rim Width, Sleeved Joint, Disc Specific, Tubeless Compatible

- **PIASTA TYL**

  Shimano HB-TC500, 148x12mm, Centerlock, Standard Freehub Body

- PIASTA PRZOD Shimano FH-TC500, 110x15mm, Centerlock , 32H

- **SZPRYCHY**

  14g Black Stainless Steel

- **OPONY**

  Vee Tire Co Attack HPL, 29x2.5", Top 40 Tubeless Compatible, Override E-Specific Casing

- **PRZERZUTKA TYL**

  Shimano, Deore XT RD-M8130, 11-Speed, SGS, LinkGlide

- **DZWIGNIA ZMIANY BIEGOW**

  Shimano Deore XT SL-M8130-R, LinkGlide, I-Spec EV

- **KORBA**

  Shimano XT M8150, 160mm Length, 38t Chainring

- **NAPED**

  Shimano Steps EP801 Drive Unit, 250W, 85Nm, 25 km/h Top Assisted Speed

- **LANCUCH**

  KMC E-11S

- **KASETA**

  Shimano XT LinkGlide LG-600, 11-Speed, 10-50T

- **HAMULEC PRZOD**

  TRP DH-R EVO 4-Piston Hydraulic, 203mm Rotor, 2.3mm Thick

- **HAMULEC TYL**

  TRP DH-R EVO 4-Piston Hydraulic, 203mm Rotor, 2.3mm Thick, with Magnet

- **DZWIGNIA HAMULCA**

  TRP DH-R EVO

- **KIEROWNICA**

  Marin Trail, 35mm Clamp, 7000 Alloy Bar, 800mm Length, 20mm Rise, 5 Degree Up, 8 Degree Back

- **MOSTEK**

  Marin CNC, 35mm Length, 35mm Bar Bore

- **CHWYTY**

  Marin Grizzly Lock On

- **STERY**

  FSA No 57, Sealed Cartridge Bearings, 1 1/8" x 1 1/2”

- **RURA PODSIODLOWA**

  X-Fusion Manic, 1x Composite Remote, Size S 125mm Travel, Size M and L 150mm Travel, Size XL 170mm Travel, 30.9mm

- **SIODLO**

  Marin eMTB Saddle

- **PEDALY**

  Marin MTB Plastic

- **BATERIA**

  Shimano BT-EN806, Internal 630Wh

- WYSWIETLACZ Shimano SC-E600

- **MANETKA**

  Shimano SW-EN600L Left Hand Switch for Assist Mode Change

- **DODATKI**

  Shimano Battery Charger EC-E6002, Shimano CS-EN800 Chainguide, CushCore Tire Inserts and Valve Stems, Marin Tire Sealant 300ml, Squeeze Top with Valve Core Removal Tool Cap

- **LADOWANIE TIME**

  30-80km (Based on Rider Weight, Terrain, Climate and Level of Assist Used), 4 Hours

Produkt posiada dodatkowe opcje:

Kolor: Wybierz kolor , Kawowy
Rozmiar: Wybierz rozmiar , S , M , L , XL